

FIFRA 24(C) REGISTRATION
EPA Reg. No. 10163-277
EPA SLN No. ID-080013

**REGISTRATION FOR SPECIAL LOCAL NEED
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO**

Onager[®]
Miticide



DIRECTIONS FOR USE

- It is a violation of Federal law to use this labeling in a manner inconsistent with its labeling.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements and precautions on the EPA registered label.
- This labeling must be in the possession of the user at the time of the pesticide application.

CROP	INSECT	RATE Oz/Acre	COMMENTS
Carrots grown for seed	Twospotted Spider Mite	12-20	Apply Onager in a sufficient volume of water to ensure thorough coverage. Apply in a minimum of 10 gallons per acre by air or ground. Thorough coverage is essential for good control. Use the lower rates when mite infestation levels are low and higher rates on moderate to high mite infestation. For best results apply Onager prior to adult mite build up when an economic number of mites is present.

RESTRICTIONS

- Do not plant rotational crops other than those on the Section 3 label within 120 days of this application.
- Do not use water from treated fields for irrigating other crops.
- Do not make more than one application per acre per year.
- For agricultural/commercial use only. Do not use in or around the home.
- Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.
- If Onager is tank mixed with another product that is hazardous to bees, then follow the more restrictive label use directions, precautions, and restrictions to protect bees.
- Do not apply this product through any type of irrigation system.
- No portion of the carrot seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, leaves and seed screenings may be used or distributed for food or feed purposes.
- Carrot seed may not be distributed for human consumption or animal feed.